Influenza Weekly Report

2015 Week 45 (November 08 - 14) through 2016 Week 45 (November 06 - 12)

Department of Health and Human Services
Division of Public and Behavioral Health
Office of Public Health Informatics and Epidemiology



Brian Sandoval Governor State of Nevada

Richard Whitley, MS Director Department of Health and Human Services

Cody L. Phinney, MPH
Administrator
Division of Public and Behavioral Health

John DiMuro, DO, MBA
Chief Medical Officer
Division of Public and Behavioral Health

Data for the graphs and tables on the following pages are provisional and may be updated as additional information becomes available.


Purpose

The purpose of this report is to provide an overview of and statistics for the influenza season in Nevada for the local public health authorities, sentinel providers and the public.

Influenza-Like Illness Network Surveillance (ILINet)

Respiratory specimens are tested for influenza by the World Health Organization (WHO) and National Respiratory and Enteric Virus Surveillance System (NRVESS) collaborating laboratories by sub-type. During week 45, there were 15,533 specimens collected and tested for influenza, of those 316 were positive (2.0%).


Figure 1



Source of Data: CDC: FluView Weekly Report.

The Nevada total includes laboratory tests for all Nevada residents including out of state laboratories. During week 45, there were 34 specimens collected and 10 were positive (29.4%).

Figure 2



Source of Data: CDC: ILINet.

Nevada State Public Health Laboratory (NSPHL) has tested 46 specimens for influenza from sentinel providers, of which there have been 30 were positive (65.2%). Southern Nevada Public Health Laboratory (SNPHL) has tested 20 specimens this season of which there have been 0 positives. Nationally, there have been 90,075 specimens sent to the WHO and NERVSS laboratories of which 2,002 have been positive or 2.2%. The national numbers in Table 1 are reflected in Figure 1. The state of Nevada data in Table 1 is reflected in Figure 2. The Nevada total includes laboratory test for all Nevada residents including out of state laboratories.


Table 1

ILINet Surveillance: Influenza Specimens Tested State and Nationally										
	NSPHL SNPHL		State of Nevada (Week 45)		State of Nevada (Season)		National (Week 45)		National (Season)	
			#	%	#	%	#	%	#	%
Specimens Tested	46	20	34		136		15,533		90,075	
Positives to Influenza	30	0	10	29.4	37	27.2	316	2.0	2,002	2.2
					_			_	•	_
<u>Influenza A:</u>	30	0	10	100	35	94.6	254	80.4	1,436	71.7
A (2009 H1N1)	4	0	1	10.0	5	14.3	5	2.0	56	3.9
A (H3)	26	0	9	90.0	27	77.1	64	25.2	512	35.7
A (Sub-typing not performed)	0	0	0	0.0	3	8.6	185	72.8	868	60.4
<u>Influenza B:</u>	0	0	0	22.2	2	5.4	62	19.6	566	28.3
B (Victoria Lineage)	0	0	0	0.0	0	0.0	4	6.5	26	4.6
B (Yamagata Lineage)	0	0	0	0.0	0	0.0	0	0.0	18	3.2
B (Sub-typing not performed)	0	0	0	100	2	100	58	93.5	522	92.2

Source of Data: CDC: FluView Report and CDC: ILINet.

Influenza-like Illness (ILI) Surveillance Network has each sentinel providers report the number of patients that meet the ILI case definition and number of patients that visit the provider weekly. The "percentage of visits" is the number of ILI patients divided by the total number of patients visit per week. Nevada's ILI percentage of visits to providers for week 45 is 1.1% and is below the state baseline 1.5%. Region 9 ILI percentage for week 45 is 1.1% and is below the region baseline 2.5%. Region 9 includes the following states/territory: Arizona, California, Guam, Hawaii, and Nevada. The national ILI percentage for week 45 is 1.7% and is below the national baseline 2.2%.


Figure 3



Source of Data: CDC: Flu View Report and CDC: ILINet.

During week 45, 1.1% of visits to sentinel providers were due to ILI; this is lower than the 2015-2016 influenza season (0.8%). There were 17,144 patients seen by ILI providers during week 45, of which 187 patients presented with ILI; week 45 of 2015, there were 131 patients seen with ILI (16,647 total patients seen).


Figure 4



Source of Data: CDC: ILINet.

Influenza-like Illness is reported by age groups, during week 45, patients age 5-24 were the greatest number of patients seen with ILI, at 65 patients seen. The rate for week 45 is 6.4 per 100,000 population. The rate is calculated by the number of patients presented with ILI, divided by the state population, multiplied by 100,000. The estimated state population for 2016 is 2,902,853.

Figure 5



Source of Data: CDC: ILINet.

Influenza Positive Surveillance (NBS and NETSS)


Positive cases of influenza are reported to the state health authority for surveillance purposes. Table 2 and Figure 6 reflect all positive influenza cases reported to the state. Types of influenza testing include commercial rapid diagnostic test (rapid), viral culture, fluorescent antibody, enzyme immunoassay, RT-PCR (PCR), and Immunohistochemistry. The two most common test types in Nevada are Rapid and PCR tests. During week 45, there were 137 influenza cases reported to the state, 121 influenza A and 7 influenza B.

Table 2

	Reported Influenza Cases by County Jurisdiction and Influenza Type									
Reporting Jurisdiction	(Current W	eek (Week 45)	Cumulative Influenza Season					
	A	В	Unknown	Total	A	В	Unknown	Total		
Carson City Health and Human Services	17	0	0	17	27	0	0	27		
Rural Community Health Services	12	4	0	16	75	4	0	79		
Southern Nevada Health District	26	2	2	30	72	8	7	87		
Washoe County Health District	66	1	7	74	197	12	16	225		
State of Nevada	121	7	9	137	371	24	23	418		

Source: OPHIE: NBS and SNHD: NETSS.

Figure 6



Source of Data: OPHIE: NBS and SNHD: NETSS.

Hospitalizations

There were 8 hospitalization associated with influenza reported to the state health authority for week 45.


Table 3

Influence Heavitalizations								
Influenza Hospitalizations								
Donouting Inviedigtion	Current Weel	k (Week 45)	Cumulative Influenza Season					
Reporting Jurisdiction	#	%	#	%				
Carson City Health and Human Services	0	0.0	0	0.0				
Rural Community Health Services	0	0.0	0	0.0				
Southern Nevada Health District	5	62.5	12	41.4				
Washoe County Health District	3	37.5	17	58.6				
State of Nevada	8	100	29	100				

 $Source: Reported \ to \ Office \ of \ Public \ Health \ Informatics \ and \ Epidemiology \ from \ each \ Jurisdiction.$

Pneumonia and Influenza (P&I) Mortality Surveillance

The Pneumonia and Influenza (P&I) mortality percentage is the deaths, where Pneumonia or Influenza is listed as the underlying or contributing cause of death, divided by the total deaths in Nevada for each week. As of November 29, there were 33 P&I deaths and 315 total deaths for week 45 in Nevada. The P&I mortality percent for Nevada is above the threshold at 10.5% (threshold 6.7%). Nationally, the P&I mortality is below the national epidemic threshold at 5.5% for week 45.



Source: OVR: WEVRRS and CDC: FluView.

Technical Notes

- Influenza-like illness (ILI): a fever greater than or equal 100°F with cough and/or sore throat
- Percent positive: The number of positive influenza laboratory tests divided by the total number of tests performed.
- Incidence rate is per 100,000 population as estimated by the state demographer.
- Data are subject to changes.

This report contains information from national and state-level data sources. Influenza surveillance data is collected by a various systems, including:

- Influenza-like Illness Network (ILINet): a sentinel surveillance system in collaboration with the Centers for the Disease Control and Prevention (CDC) where outpatient providers report ILI information weekly.
- National Electronic Telecommunication System for Surveillance (NETSS): a system whereby data is transmits to CDC. Influenza data collected through NETSS does not provide influenza sub-typing information.
- National Electronic Disease Surveillance System (NEDSS): a system for collecting data and monitoring disease trends and outbreaks.
- NEDSS Based System (NBS): an implementation of the NEDSS standards. It provides a secure, accurate, and efficient means of collecting, transmitting, and analyzing public health data.

Citations

- 1. CDC. FluView: A Weekly Influenza Surveillance Report. http://www.cdc.gov/flu/weekly/pastreports.htm.
- 2. Nevada State Demographer's Office. 2003-2020 ASRHO Estimates and Projections. Division of Public and Behavioral Health edition. Vintage 2015.
- 3. OPHIE. DPBS. BioSense. 2015-2016. Accessed November 2016.
- 4. OPHIE. DPBH. NBS. 2015-2016. Accessed November 2016.
- 5. Office of Vital Records (OVR). DPBH. Web Enabled Vital Records Registry System (WEVRRS) [unpublished data]. 2015-2016. Accessed November 2016.
- 6. Southern Nevada Health District (SNHD). NETSS/Trisano. 2015-2016. Accessed November 2016.

Comments, suggestions, and requests for further information may be addressed to:

NEVADA INFLUENZA SURVEILLANCE PROGRAM
OFFICE OF PUBLIC HEALTH INFORMATICS AND EPIDEMIOLOGY
500 DAMONTE RANCH PKWY, STE 657
RENO, NV 89521
TEL: (775) 684-5289

Tel: (775) 684-5289 Fax: (775) 684-5999

Compiled and Written by:

LILIANA E. WILBERT

Recommended Citation:

Division of Public and Behavioral Health. Office of Public Health Informatics and Epidemiology. Influenza Weekly Report, 2015 Week 45 (November 8) through 2016 Week 45 (November 12), Nevada. November 2016 i 45 edition 1.0.

This publication was supported by Cooperative Agreement Number TP000534-02 from the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention and/or Assistant Secretary for Preparedness and Response.